



## CADDY SUPERFIX 454 Split Ring Hanger

The CADDY® SUPERFIX 454 is an easy-to-close pipe clamp that works on steel and copper pipes from 1/4" (12 mm) to 4" (114 mm). A unique hinged design eliminates the need to disassemble the clamp prior to installation and allows the installer to close the pipe clamp with one hand without turning a screw. Once the pipe is installed, simply tighten the screw to secure the pipe in place.

The cleverly designed pipe clamp requires only one screw and hinge. The all steel design of the patented closing mechanism means the strength is not significantly reduced by exposure to heat.



All of the pipe clamps have a 5-8 microns electro-galvanized coating to protect against corrosion.

### Features

- Size Range: 1/4" through 4"
- Surface Finish: Electro-zinc plated
- Recommended for the suspension of stationary non-insulated pipe lines
- Comes with a welded 3/8" cap nut, allowing easy attachment to threaded rod
- Equipped with an EPDM rubber sleeve that serves to minimize noise
- Complies with the requirements of DIN 4109; average noise reduction of 20 dBA
- Conforms with Manufacturers Standardization Society (MSS) SP-58 and SP-69 (Type 12)
- Has a fire rating DIN EN 13501-1:E
- Has an operating temperature range of -58°F (-50°C) up to +230°F (110°C)


### Applications



### More Information

Part Number	Nominal Pipe Size		A	B	C	Max. Rec. Load (lbs)
	IP	CT				

454001	1/4"	3/8"	15/32" - 9/16"	29/32"	M6x25	180
454002	3/8"	1/2"	19/32" - 3/4"	29/32"	M6x25	180
454003	-	5/8"	19/32" - 3/4"	29/32"	M6x25	180
454004	1/2"	3/4"	13/16" - 29/32"	29/32"	M6x25	180
454005	3/4"	1"	1-1/32" - 1-3/32"	29/32"	M6x25	180
454006	1"	1-1/4"	1-1/4" - 1-3/8"	29/32"	M6x30	180
454007	1-1/4"	1-1/2"	1-9/16" - 1-11/16"	29/32"	M6x30	180
454008	1-1/2"	-	1-3/4" - 1-15/16"	29/32"	M6x30	180
454009	-	2"	2-1/8" - 2-9/32"	15/16"	M6x30	180
454010	2"	-	2-1/4" - 2-13/32"	29/32"	M6x30	180
454011	-	2-1/2"	2-1/2" - 2-5/8"	29/32"	M6x30	300
454012	2-1/2"	-	2-3/4" - 2-7/8"	15/16"	M6x30	300
454013	-	3"	2-29/32" - 3-5/32"	15/16"	M6x35	300
454014	3"	-	3-9/32" - 3-9/16"	15/16"	M6x35	300
454015	-	3-1/2"	3-5/8" - 3-15/16"	29/32"	M6x35	300
454016	3-1/2"	4"	3-31/32" - 4-3/16"	1-1/8"	M6x35	300
454017	4"	-	4-1/4" - 4-1/2"	1-1/8"	M6x40	300

**WARNING**

ERICO products shall be installed and used only as indicated in ERICO's product instruction sheets and training materials. Instruction sheets are available at [www.erico.com](http://www.erico.com) and from your ERICO customer service representative. Improper installation, misuse, misapplication or other failure to completely follow ERICO's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death.

**WARRANTY**

ERICO products are warranted to be free from defects in material and workmanship at the time of shipment. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), SHALL EXIST IN CONNECTION WITH THE SALE OR USE OF ANY ERICO PRODUCTS. Claims for errors, shortages, defects or nonconformities ascertainable upon inspection must be made in writing

within 5 days after Buyer's receipt of products. All other claims must be made in writing to ERICO within 6 months from the date of shipment or transport. Products claimed to be nonconforming or defective must, upon ERICO's prior written approval in accordance with its standard terms and procedures governing returns, promptly be returned to ERICO for inspection. Claims not made as provided above and within the applicable time period will be barred. ERICO shall in no event be responsible if the products have not been stored or used in accordance with its specifications and recommended procedures. ERICO will, at its option, either repair or replace nonconforming or defective products for which it is responsible or return the purchase price to the Buyer. THE FOREGOING STATES BUYER'S EXCLUSIVE REMEDY FOR ANY BREACH OF ERICO WARRANTY AND FOR ANY CLAIM, WHETHER SOUNDING IN CONTRACT, TORT OR NEGLIGENCE, FOR LOSS OR INJURY CAUSED BY THE SALE OR USE OF ANY PRODUCT.

**LIMITATION OF LIABILITY**

ERICO excludes all liability except such liability that is directly attributable to the willful or gross negligence of ERICO's employees. Should ERICO be held liable its liability shall in no event exceed the total purchase price under the contract. ERICO SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS OF BUSINESS OR PROFITS, DOWNTIME OR DELAY, LABOR, REPAIR OR MATERIAL COSTS OR ANY SIMILAR OR DISSIMILAR CONSEQUENTIAL LOSS OR DAMAGE INCURRED BY BUYER.

Due to a policy of continued product development, specifications are subject to change without notice.

Copyright © 2013 ERICO International Corporation.

CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH, and LENTON are registered trademarks of ERICO International Corporation.

