



Part Num.	Item Description	Finish / Pkg.	UPC# 046224 +	Ctn Qty	Ctn Wt	Line Art
-----------	------------------	---------------	---------------	---------	--------	----------

QUARTER TURN VALVES - LEAD FREE




Chrome Plated Brass Ball
 Engineering precision in production of our CNC machined chrome plated brass ball, snugly matched with Teflon® seals to prevent seizing in any water condition ensures a long valve life, and your customer's satisfaction.



All Keeney Quarter Turn Valves feature:

- Solid Chrome Plated Brass Ball
- Brass Forged Body
- All valve bodies and components CNC Machined to our Engineering Tolerances & Specifications
- Solid Brass Stem
- Flow Rates 20% higher than ASME 112.18.1M Minimum Standard
- O-rings designed to be used at working temperatures ranging between -40° and 250°
- Teflon Seats - melting point of 621° Fahrenheit
- Valves made from Brass Alloy that complies with NSF61 Section 9
- 46 different configurations available
- Color Coded Boxes



LEAD FREE:
 The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

QUARTER TURN PUSH FIT APPLICATION LEAD FREE VALVES

PUSH FIT APPLICATION X COMPRESSION - ANGLE QUARTER TURN VALVES - BOXED

2622PCPOLF	5/8" O.D. X 3/8" O.D.	CHROME	02983 0	24	9.5 lbs.
2623PCPOLF	5/8" O.D. X 1/2" F.I.P.	CHROME	02987 8	12	5.1 lbs.




PUSH FIT X COMPRESSION - STRAIGHT QUARTER TURN VALVES - BOXED

2068PCPOLF	5/8" O.D. COMP. X 3/8" O.D.	CHROME	02984 7	24	9.5 lbs.
2070PCPOLF	5/8" O.D. X 1/2" F.I.P.	CHROME	02988 5	12	5.5 lbs.




F.I.P. X COMPRESSION APPLICATION - STRAIGHT QUARTER TURN VALVES - BOXED

2055PCLF	3/8" F.I.P. X 3/8" O.D.	CHROME	03312 7	24	12 lbs.
2058PCLF	1/2" F.I.P. X 3/8" O.D.	CHROME	03302 8	24	8.4 lbs.
2060PCLF	1/2" X 7/16" - 1/2" O.D.- SLIP JOINT	CHROME	02898 7	12	9.9 lbs.
2059PCLF	1/2" F.I.P. X 1/2" O.D.	CHROME	03350 9	12	9.5 lbs.




COMPRESSION X COMPRESSION - STRAIGHT QUARTER TURN VALVES - BOXED

2071PCLF	3/8" O.D. COMP. X 3/8" O.D.	CHROME	03309 7	24	8.8 lbs.
2068PCLF	5/8" O.D. COMP. X 3/8" O.D.	CHROME	03301 1	24	9.5 lbs.
2070PCLF	5/8" O.D. X 7/16" - 1/2" O.D.- SLIP JOINT	CHROME	03480 3	12	5.5 lbs.
2069PCLF	5/8" O.D. X 1/2" O.D.	CHROME	03371 4	12	3.9 lbs.
2041PCLF	5/8" O.D. COARSE THREAD X 3/8" O.D.	CHROME	03481 0	12	4.7 lbs.
2042PCLF	5/8" O.D. COARSE THREAD X 7/16" - 1/2" O.D.- SLIP JOINT	CHROME	03482 7	12	4.4 lbs.




SWEAT X COMPRESSION - STRAIGHT QUARTER TURN VALVE - BOXED

2781PCLF	1/2" COPPER SWEAT X 3/8" O.D.	CHROME	03304 2	24	7.6 lbs.
----------	-------------------------------	--------	---------	----	----------




PVC X COMPRESSION - STRAIGHT QUARTER TURN VALVE - BOXED

2881PCLF	1/2" NOM. X 3/8" O.D.	CHROME	03303 5	24	10.6 lbs.
----------	-----------------------	--------	---------	----	-----------




PEX X COMPRESSION - STRAIGHT QUARTER TURN VALVE - BOXED

2883PCLF	1/2" NOM. X 3/8" O.D.	CHROME	03339 4	12	3.8 lbs.
----------	-----------------------	--------	---------	----	----------




F.I.P. X F.I.P. - STRAIGHT QUARTER TURN VALVE - BOXED





























2057PCLF	1/2" F.I.P. X 1/2" F.I.P.	CHROME	02895 6	24	8 lbs.
----------	---------------------------	--------	---------	----	--------



REPAIR VALVE - - STRAIGHT QUARTER TURN REPAIR VALVE - BOXED

2072PCLF	3/8" COMP. FEMALE SWIVEL X 3/8" O.D.	CHROME	03311 0	24	8 lbs
----------	--------------------------------------	--------	---------	----	-------



Part Num.	Item Description	Finish / Pkg.	UPC# 046224 +	Ctn Qty	Ctn Wt	Line Art
F.I.P. X COMPRESSION - ANGLE QUARTER TURN VALVES - BOXED						
2047PCLF	3/8" F.I.P. X 3/8" O.D.	 CHROME	03305 9	24	7.6 lbs.	
2046PCLF	1/2" F.I.P. X 1/4" O.D.	 CHROME	03351 6	12	4 lbs.	
2048PCLF	1/2" F.I.P. X 3/8" O.D.	 CHROME	03300 4	24	8.4 lbs.	
2051PCLF	1/2" F.I.P. X 7/16" O.D.	 CHROME	03373 8	12	4.7 lbs.	
2050PCLF	1/2" F.I.P. X 7/16"-1/2" O.D. - SLIP JOINT	 CHROME	02892 5	24	9.9 lbs.	
2049PCLF	1/2" F.I.P. X 1/2" O.D.	 CHROME	03293 9	12	4.4 lbs.	
COMPRESSION X COMPRESSION - ANGLE QUARTER TURN VALVES - BOXED						
2626PCLF	5/8" O.D. X 1/4" O.D.	 CHROME	03291 5	12	4.4 lbs.	
2622PCLF	5/8" O.D. X 3/8" O.D.	 CHROME	03299 1	24	9.5 lbs.	
2623PCLF	5/8" O.D. X 7/16"-1/2" O.D. - SLIP JOINT	 CHROME	02902 1	12	5.1 lbs.	
2624PCLF	5/8" O.D. X 1/2" O.D.	 CHROME	03294 6	12	4.9 lbs.	
2659PCLF	5/8" O.D. COARSE THREAD X 3/8" O.D.	 CHROME	03483 4	24	8.8 lbs.	
2670PCLF	5/8" O.D. COARSE THREAD X 7/16" -1/2" O.D.	 CHROME	03484 1	12	4.7 lbs.	
2053PCLF	1/2" O.D. (3/8" NOM. COPPER) X 3/8" O.D.	CHROME	03369 1	12	4.7 lbs.	
SWEAT X COMPRESSION - ANGLE QUARTER TURN VALVE - BOXED						
2780PCLF	1/2" COPPER SWEAT X 3/8" O.D.	 CHROME	03306 6	24	7.6 lbs.	
CPVC X COMPRESSION - ANGLE QUARTER TURN VALVE - BOXED						
2880PCLF	1/2" NOM. X 3/8" O.D.	 CHROME	03341 7	24	10.2 lbs.	
PEX X COMPRESSION - ANGLE QUARTER TURN VALVE - BOXED						
2882PCLF	1/2" NOM. X 3/8" O.D.	 CHROME	03307 3	24	8.4 lbs.	
F.I.P. X F.I.P. - ANGLE QUARTER TURN VALVE - BOXED						
2052PCLF	1/2" F.I.P. X 1/2" F.I.P.	CHROME	03370 7	24	8 lbs.	
SWEAT INLET WITH 5" EXTENSION TUBE - ANGLE QUARTER TURN VALVE - BOXED						
2100PCLF	1/2" NOM. SWEAT W/ 5" EXT. X 3/8" O.D. - DEEP FLANGE	CHROME	03295 3	12	6.9 lbs.	
F.I.P. X COMPRESSION - 3 WAY QUARTER TURN VALVES - BOXED						
2902PCLF	1/2" F.I.P. X 3/8" O.D. X 1/4" O.D.	 CHROME	03352 3	12	4.4 lbs.	
2901PCLF	1/2" F.I.P. X 3/8" O.D. X 3/8" O.D.	 CHROME	03313 4	24	9.1 lbs.	
2909PCLF	1/2" F.I.P. X 1/2" O.D. X 3/8" O.D.	CHROME	03415 5	12	5.3 lbs.	
COMPRESSION X COMPRESSION - 3 WAY QUARTER TURN VALVES - BOXED						
2904PCLF	5/8" O.D. X 3/8" O.D. X 1/4" O.D.	 CHROME	03485 8	12	4.9 lbs.	
2903PCLF	5/8" O.D. X 3/8" O.D. X 3/8" O.D.	 CHROME	03308 0	24	8.8 lbs.	
ADD-A-TEE ADAPTERS						
K2037LF	3/8" X 8" X 1/4"	CARD	02959 5	6	1 lbs.	
K2038LF	3/8" X 3/8" X 3/8"	CARD	02958 8	6	2 lbs.	
K2040LF	1/2" SJ X 1/2 SJ X 3/8" COMP.	CARD	02956 4	6	2 lbs.	
K2039LF	1/2" SJ X 1/2" SJ X 1/4"	CARD	02957 1	6	2 lbs.	

QUARTER TURN VALVE

Part Num.	Item Description	Finish / Pkg.	UPC# 046224 +	Ctn Qty	Ctn Wt	Line Art
-----------	------------------	---------------	---------------	---------	--------	----------



QUALITY

Keeney connectors are made of high quality materials, and are manufactured to our strict engineering tolerances and specifications.

LEAD FREE:
The wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

WATER SUPPLY CONNECTORS



VINYL FAUCET SUPPLY TUBES LEAD FREE

COMPRESSION INLET - VINYL

PP23860LF	3/8" COMP. X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03319 6	25	4 lbs.
-----------	--------------------------------	--	----------------------	---------	----	--------

F.I.P. INLET - VINYL

PP23883LF	1/2" F.I.P. X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03337 0	25	4 lbs.
-----------	---------------------------------	--	----------------------	---------	----	--------

STAINLESS STEEL FAUCET SUPPLY TUBES LEAD FREE

COMPRESSION INLET X COMPRESSION OUTLET - STAINLESS STEEL

PP23809LF	3/8" COMP. X 3/8" COMP. - 12"		BULK WITH FLAG LABEL	03322 6	25	4.9 lbs.
-----------	-------------------------------	--	----------------------	---------	----	----------

COMPRESSION INLET - STAINLESS STEEL


PP23801LF	3/8" COMPRESSION X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03316 5	25	5.5 lbs.
PP23819LF	7/16" COMPRESSION X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03388 2	25	4.9 lbs.
PP23810LF	1/2" COMPRESSION X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03338 7	25	6 lbs.

F.I.P. INLET - STAINLESS STEEL

PP23816LF	1/2" F.I.P. X 1/2" F.I.P. - 12"		BULK WITH FLAG LABEL	03327 1	25	7.1 lbs.
-----------	---------------------------------	--	----------------------	---------	----	----------

COMPRESSION INLET X DELTA STYLE - STAINLESS STEEL

PP23850LF	3/8" COMPRESSION X DELTA STYLE - 12"		BULK WITH FLAG LABEL	03342 4	25	7.1 lbs.
-----------	--------------------------------------	--	----------------------	---------	----	----------




LEAD FREE SUPPLY LINES

Part Num.	Item Description	Pkg.	UPC# 046224 +	Ctn Qty	Ctn Wt	Line Art
-----------	------------------	------	---------------	---------	--------	----------

KEENEY BY DESIGN

F.I.P. X COMPRESSION - ANGLE QUARTER TURN VALVES

K2048ABNLF	1/2" F.I.P. X 3/8" O.D. - BRUSHED NICKEL	CLAMSHELL	02955 7	6	3 lbs.	
K2048APBLF	1/2" F.I.P. X 3/8" O.D. - POLISHED BRASS	CLAMSHELL	02954 0	6	3 lbs.	
K2048AVBLF	1/2" F.I.P. X 3/8" O.D. - VENETIAN BRONZE	CLAMSHELL	02953 3	6	3 lbs.	

NIPPLES LEAD FREE

K33-10BNLF	3/8" I.P.S. X 3" - BRUSHED NICKEL	CARD	02963 2	6	1 lb.	
K33-10PBLF	3/8" I.P.S. X 3" - POLISHED BRASS	CARD	02962 5	6	1 lb.	
K33-10VBLF	3/8" I.P.S. X 3" - VENETIAN BRONZE	CARD	02960 1	6	1 lb.	
K33-40BNLF	1/2" I.P.S. X 4" - BRUSHED NICKEL	CARD	02952 6	6	2 lb.	
K33-40PBLF	1/2" I.P.S. X 4" - POLISHED BRASS	CARD	02950 2	6	2 lb.	
K33-40VBLF	1/2" I.P.S. X 4" - VENETIAN BRONZE	CARD	02949 6	6	2 lb.	

KEENEY CONVIENIENCE CENTER

NIPPLES

CHROME PLATED LEAD FREE

K23310LF	3/8" I.P.S. X 3"	02968 7	BAG	5	1 lb.	
K23340LF	1/2" I.P.S. X 4"	02946 5	BAG	10	3 lbs.	

STRAIGHT CONNECTORS LEAD FREE

K20071LF	3/8" F.I.P. X 3/8" O.D.	02967 0	BAG	5	1 lb.	
K20072LF	3/8" M.I.P. X 3/8" O.D.	02966 3	BAG	5	1 lb.	
K20073LF	1/2" F.I.P. X 3/8" O.D.	02948 9	BAG	10	1 lb.	
K20074LF	1/2" M.I.P. X 3/8" O.D.	02947 2	BAG	10	1 lb.	
K20079LF	1/2" SWEAT X 3/8" O.D.	02965 6	BAG	5	1 lb.	
K20080LF	1/2" NOM. COP 3/8" O.D.	02964 9	BAG	5	1 lb.	

STRAIGHT TRANSITION FITTING LEAD FREE

K23210LF	1/2" NOM.. CPVC X 3/8" O.D.	02969 4	BAG	5	1 lb.	
----------	-----------------------------	---------	-----	---	-------	---