

Model SU-1009-A Universal High-Efficiency Urinal

Top Spud Vitreous China Wash Down Urinal

DESCRIPTION

Complete vitreous china top spud urinal.

Flush Cycle

Model SU-1009-A* (0.125 to 0.5 gpf/0.5 to 1.9 Lpf) Flush volume is determined by the flushometer used with urinal.






SPECIFICATIONS

Urinal

- · Wall hung top spud vitreous china
- Washdown flushing action
- ¾" IPS top spud inlet
- 2" NPT outlet flange
- All mounting hardware included
- Integral flushing rim
- 100% factory flush testedCompliant to the applicable sections
- of ASME A112.19.2/CSA B45.1
- Carrier not included



NOTE: All vitreous china dimensions shown in these drawings are nominal. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. Please take this into consideration when planning rough-in and plumbing layouts.

Product Specification

Washdown urinal shall be made of vitreous china with a ¾" top spud. Urinal shall have a 2" NPT outlet flange. Urinal shall include a removable strainer, inlet spud and hanger. Urinal shall shall be Sloan Model SU-1009-A.

*Please note that this model is fully interchangeable with Models SU-1000-A, SU-1002-A & SU-1005-A and matches all dimensional and performance parameters.



Meets the American Disabilities Guidelines and ANSI A117.1 requirements when installed at the proper height requirements for accessibility.

<u>NOTE</u>: Plumbing System Requirements √ Minimum <u>Flowing</u> Pressure: 25 PSI √ Maximum Static Pressure: 80 PSI

This space for Architect/Engineer approval		SL
Job Name	Date	Sloan Hea
Model Specified	Quantity	Franklin P
Variations Specified		Phone: 1- Fax: 1-80
Customer/Wholesaler		www.sloa
Contractor		
Architect		© 2013 S





SLOAN.

Sloan Headquarters 10500 Seymour Avenue Franklin Park, IL 60131 Phone: 1-800-982-5839 Fax: 1-800-447-8329 www.sloanvalve.com

© 2013 Sloan Valve Company SLNSS-VF/SU1009A - Rev. 1a (01/13)

The information contained in this document is subject to change without notice.